

Page: 1

Revision date: 03/04/2015

Revision No: 2

Section 1: Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier Product name: NOVOSPRAY Product code: AF8815 1.2. Relevant identified uses of the substance or mixture and uses advised against Use of substance / mixture: Teat Disinfectant 1.3. Details of the supplier of the safety data sheet Company name: Kilco (International) Ltd **Broomhouses 2 Industrial Estate** Old Glasgow Road Lockerbie DG11 2SD United Kingdom Tel: +44 (0) 157 620 5480 Email: sds@kilco.co.uk 1.4. Emergency telephone number Emergency tel: +44 (0) 207 858 1228 **Section 2: Hazards identification** 2.1. Classification of the substance or mixture Classification under CHIP: Xi: R36; -: R52/53 Classification under CLP: Aquatic Chronic 3: H412; Eye Dam. 1: H318 Most important adverse effects: Irritating to eyes. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

NOVOSPRAY

2.2. Label elements

Label elements:

Hazard statements: H318: Causes serious eye damage.

H412: Harmful to aquatic life with long lasting effects.

Signal words: Danger

Hazard pictograms: GHS05: Corrosion



Precautionary statements: P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

NOVOSPRAY

	P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
Label elements under CHIP:	
Hazard symbols:	Irritant.
	×
Risk phrases:	R36: Irritating to eyes.
	R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the
	aquatic environment.
Safety phrases:	S26: In case of contact with eyes, rinse immediately with plenty of water and seek
	medical advice.
	S57: Use appropriate container to avoid environmental contamination.
	S60: This material and its container must be disposed of as hazardous waste.
	S61: Avoid release to the environment. Refer to special instructions / safety data sheets.
2.3. Other hazards	

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

L - (+) LACTIC ACID

EINECS	CAS	CHIP Classification	CLP Classification	Percent
201-196-2	79-33-4	Xi: R38; Xi: R41	Skin Irrit. 2: H315; Eye Dam. 1: H318	1-10%
L				

PROPAN-2-OL

200-661-7	67-63-0	F: R11; Xi: R36; -: R67	Flam. Liq. 2: H225; Eye Irrit. 2: H319;	1-10%
			STOT SE 3: H336	

CHLORHEXIDINE DIGLUCONATE

[242-354-0	18472-51-0	Xi: R41; N: R50/53	Eye Dam. 1: H318; Aquatic Acute 1:	<1%
				H400; Aquatic Chronic 1: H410	

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash

immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion: Wash out mouth with water. Consult a doctor.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

Page: 2

NOVOSPRAY

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray

to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. If outside do not approach from downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Turn leaking containers leak-side up to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

NOVOSPRAY

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

Do not handle in a confined space. Avoid the formation or spread of mists in the air.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed. The floor of the

storage room must be impermeable to prevent the escape of liquids.

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

Specific end use(s): The identified uses for this product are detailed in Section 1.2

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

PROPAN-2-OL

Workplace exposure limits:

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	999 mg/m3	1250 mg/m3	-	-

Respirable dust

DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures:Ensure there is sufficient ventilation of the area. The floor of the storage room must be
impermeable to prevent the escape of liquids.Respiratory protection:Self-contained breathing apparatus must be available in case of emergency.Hand protection:Protective gloves.Eye protection:Safety glasses. Ensure eye bath is to hand.Skin protection:Protective clothing.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State:	Liquid	
Colour:	Dark green	
Odour:	Peppermint	
Oxidising:	Non-oxidising (by EC criteria)	
Solubility in water:	Soluble	
Flammability limits %: lower:	Not applicable. upper:	Not applicable.
Flash point°C:	Not applicable. Relative density:	1.025 – 1.040
pH:	2.10 – 2.80	

NOVOSPRAY

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Extremes of temperature

10.5. Incompatible materials

Materials to avoid: Alkalis.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

PROPAN-2-OL

IVN	RAT	LD50	1088	mg/kg
ORL	MUS	LD50	3600	mg/kg
ORL	RAT	LD50	5045	mg/kg
SCU	MUS	LDLO	6	gm/kg

CHLORHEXIDINE DIGLUCONATE

ORAL RAT LD50 >2000 mg/kg	
---------------------------	--

Relevant effects for mixture:

Effect	Route	Basis	
Irritation	OPT	Hazardous: calculated	

Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Page: 5

NOVOSPRAY

Page: 6

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Section 12: Ecological information

12.1. Toxicity

Hazardous ingredients:

CHLORHEXIDINE DIGLUCONATE

ALGAE	72H IC50	0.01	mg/l
DAPHNIA	48H EC50	0.05 - 0.1	mg/l
FISH	96H LC50	10.4	mg/l

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: No data available.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Toxic to aquatic organisms. Toxic to soil organisms.

Section 13: Disposal considerations

13.1. Waste treatment methods

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

Section 14: Transport information

Transport class: This product does not require a classification for transport.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

15.2. Chemical Safety Assessment

NOVOSPRAY

Section 16: Other information

Page: 7

Other information	
Other information:	This safety data sheet is prepared in accordance with Commission Regulation (EU) No
	453/2010.
	* indicates text in the SDS which has changed since the last revision.
	This safety data sheet is prepared in accordance with Commission Regulation (EC) No
	1272/2008.
Phrases used in s.2 and s.3:	H225: Highly flammable liquid and vapour.
	H315: Causes skin irritation.
	H318: Causes serious eye damage.
	H319: Causes serious eye irritation.
	H336: May cause drowsiness or dizziness.
	H400: Very toxic to aquatic life.
	H410: Very toxic to aquatic life with long lasting effects.
	H412: Harmful to aquatic life with long lasting effects.
	R11: Highly flammable.
	R36: Irritating to eyes.
	R38: Irritating to skin.
	R41: Risk of serious damage to eyes.
	R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the
	aquatic environment.
	R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the
	aquatic environment.
	R67: Vapours may cause drowsiness and dizziness.
Legal disclaimer:	The above information is believed to be correct but does not purport to be all inclusive
	and shall be used only as a guide. This company shall not be held liable for any
	damage resulting from handling or from contact with the above product. Kilco
	(International) Ltd, Registered Office: 1A Trench Road, Mallusk, Newtownabbey,
	Belfast, BT36 4TY. Place of Registration: Northern Ireland, Registration Number: NI3240